













## ESECUZIONI SPECIALI - PRESSOSTATI CON PROTEZIONE ELETTRICA IP67 SPECIAL EXECUTIONS - WATERPROOF IP67 PRESSURE SWITCHES



### CONNESSIONE ELETTRICA / ELECTRIC CONNECTION

Delphi	Deutsch DT04	Deutsch DT06	Amp Superseal	Cavo 4 poli Flying leads 4 cables	Cavo 2 poli Flying leads 2 cables	Amp Integrated	M12x1 integrato M12x1 integrated
							

PRESSOSTATO PRESSURE SWITCH	DELPHI	DEUTSCH DT04	DEUTSCH DT06	AMP SUPERSEAL	CON CAVO 2 POLI FLYING LEADS 2 CABLES	CON CAVO 3 POLI FLYING LEADS 3 CABLES	CON CAVO 4 POLI FLYING LEADS 4 CABLES	AMP INTEGRATED	M12X1 INTEGRATO M12X1 INTEGRATED
<b>PMN</b>  Pag. 09	•	•	•	•	•			•	•
<b>PM250</b>  Pag. 13	•	•	•	•		•		•	•
<b>MS</b>  Pag. 15	•	•	•	•			•	•	•
<b>PS</b>  Pag. 15	•	•	•	•			•	•	•

I pressostati vengono prima tarati in sede al valore richiesto. Per altre esecuzioni speciali contattare il nostro ufficio commerciale.  
Pressure switches must be set in factory at first. For different executions please contact our sales office.

Elettrotec si riserva la facoltà di apportare modifiche tecniche ai prodotti o di cessarne la produzione senza obbligo di preavviso. Il contatto del pressostato può danneggiarsi quando sottoposto a forti urti o ad alte vibrazioni. È responsabilità dell'utilizzatore verificare l'idoneità dei nostri prodotti per ogni particolare applicazione (ad esempio, la verifica della compatibilità dei materiali) e l'uso può essere appropriato solo se dimostrato in test sul campo. Le informazioni tecniche in questo catalogo si basano su prove effettuate durante lo sviluppo del prodotto e in base ai valori empiricamente raccolti. Essi non possono essere applicabili in tutti i casi.

Elettrotec reserves the right to technical data of change to the products or halt production without prior notice. The pressure switch contacts can be damaged when subject to strong shocks or high vibration. It is the responsibility of the user to test the suitability of our products for the particular application, for example, the verification of material compatibility. The use may only be appropriate if proven in field tests. The technical information in this catalogue are based on tests made during product development and based on empirically gathered values. They may not be applicable in all cases.